



Smart Winches for Anchor Applications



YMV
ANCHOR WINDLASS
WINDLASS WINCH
CAPSTAN

YMV anchor windlass



MAIN PROPERTIES:

- Electric or Hydraulic Drive
- Pull Capacity: 1 to 50 t
- Chain Diameter: 12 to 81 mm.
- Manual operated clutch and band brake

Optional:

- Cable Lifter / Warping Head/ Gypsy
- Single / Double / Split Drum
- Class Certificate
- Under deck mountable HPU (If Hydraulic)
- Local /Remote Control



MAIN PROPERTIES:

- Electric or Hydraulic Drive
- Pull Capacity: 1 to 10 t
- Chain Diameter: 12 to 46 mm.
- Manual operated clutch and band brake

Optional:

- Cable Lifter / Warping Head/ Gypsy
- Local /Remote Control
- Under deck mountable HPU (If Hydraulic)
- Class Certificate

YMV capstan



*“YMV manufactures
custom build winches
according to
operational requirements”*

SOME OF OUR PRODUCTS:



YMV KREYN VE MAKİNA
SİSTEMLERİ SAN.TİC.A.Ş
Mescid Mah.Derviş cad.No:5
Orhanlı-Tuzla/IST-TURKEY

Contact:
(90)2163944325
info@ymvcrane.com
www.ymvcrane.com