

YMV Towing Winches



Custom made winches

www.ymvcrane.com


YMV CRANE AND WINCH SYSTEMS



Special designs for optimum use of deck space

MULTICAT
APPLICATION: ONE WINCH
TWO OPERATION

Experience and Innovation



APPLICATIONS:

- Tugboats
- Multipurpose Supply Vessels
- Multicats
- AHTS Anchor Handling Tug

MAIN PROPERTIES:

- Electric /Hydraulic Drive
- Single/Double Drum/ Waterfall
- Auto-tensioning
- Constant tension
- Frequence Convertor
- Quick Release

TECHNICAL:

- Pull Capacity: 5-250 t
- Rope dia:22-78 mm
- Rope length: 100-1.000 mt.

OPTIONAL:

- Control and monitoring
- wire length,tension, speed



Some of our Projects



Tugboat / 20 t

- Electric drive
- Single drum
- Constant Tension
- Quick Release
- Electric Automation system with frequency convertor



Supply Vessel /30 t

- Hydraulic drive
- Double drum
- Electric automation System
- Quick Release
- YMV Winch provided advantage of operating A-Frame from one drum and towing winch using the other drum
- Efficient use of deck space
- Optimum functionality tailor made design



Multicat / 20 t

- Hydraulic drive
- Single drum
- Electric automation System
- Constant tension
- Quick Release
- YMV Winch provided advantage of operating A-Frame (for anchor handling) and towing winch using one drum and one winch



Tug boat /65 t Waterfall type

- Hydraulic drive
- Waterfall type and Double drum
- Electric automation System.
- Self tensioning
- Quick Release
- Used for Tug operations of Directorate General of Coastal Safety.

Get in Touch

YMV KREYN VE MAKİNA SİSTEMLERİ SAN. TİC. A.Ş.

Mescit Mah. Dervis Cad. No: 5
34956 Orhanlı Tuzla İstanbul
Turkey

Phone +90 216 394 4325
Fax +90 216 394 45 98
E-mail info@ymvcrane.com



YMV CRANE AND WINCH SYSTEMS

www.ymvcrane.com